

# Lecture 12 – Examples of Context-Free Grammars

## COSE215: Theory of Computation

Jihyeok Park



2023 Spring

- A context-free grammar (CFG):


$$G = (V, \Sigma, S, P)$$

- The language of a CFG  $G$ :

$$L(G) = \{w \in \Sigma^* \mid S \Rightarrow^* w\}$$

- A language  $L$  is a context-free language (CFL):

$$\exists \text{ CFG } G. L(G) = L$$



## 1. Examples of Context-Free Grammars

Example 1: Regular Languages

Example 2:  $b^n a^m b^{2n}$

Example 3: Well-Formed Brackets

Example 4: Equal Number of a's and b's

Example 5: Unequal Number of a's and b's

Example 6: Arithmetic Expressions

Example 7: Regular Expressions

Example 8: Simplified Scala Syntax

## Theorem (RLs are CFLs)

*If a language  $L$  is a regular language (RL), then  $L$  is a CFL.*

**Proof)** For a given RE  $R$ , construct a CFG  $G$  such that  $L(G) = L(R)$ .

RE $R$	CFG $G$
$\emptyset$	$S \rightarrow S$
$\epsilon$	$S \rightarrow \epsilon$
$a \in \Sigma$	$S \rightarrow a$
$R_1 \mid R_2$	$S \rightarrow S_1 \mid S_2$
$R_1 \cdot R_2$	$S \rightarrow S_1 S_2$
$R_1^*$	$S \rightarrow \epsilon \mid S_1 S$
$(R_1)$	$S \rightarrow S_1$

where  $S_1$  and  $S_2$  are start variables of CFGs  $G_1$  and  $G_2$  such that  $L(G_1) = L(R_1)$  and  $L(G_2) = L(R_2)$ , respectively.

## Example 1: Regular Languages

For a given RE  $R$ , construct a CFG  $G$  such that  $L(G) = L(R)$ .

- $R = \epsilon | ab | ba$

$$\begin{array}{llll} S \rightarrow F | D & A \rightarrow a & C \rightarrow AB & E \rightarrow \epsilon \\ & B \rightarrow b & D \rightarrow BA & F \rightarrow E | C \end{array}$$

## Example 1: Regular Languages

For a given RE  $R$ , construct a CFG  $G$  such that  $L(G) = L(R)$ .

- $R = \epsilon | ab | ba$

$$\begin{array}{llll} S \rightarrow F | D & A \rightarrow a & C \rightarrow AB & E \rightarrow \epsilon \\ B \rightarrow b & D \rightarrow BA & F \rightarrow E | C & \end{array}$$

Its simplified version:

$$S \rightarrow \epsilon | ab | ba$$

## Example 1: Regular Languages

For a given RE  $R$ , construct a CFG  $G$  such that  $L(G) = L(R)$ .

- $R = \epsilon | ab | ba$

$$\begin{array}{llll} S \rightarrow F | D & A \rightarrow a & C \rightarrow AB & E \rightarrow \epsilon \\ B \rightarrow b & D \rightarrow BA & F \rightarrow E | C & \end{array}$$

Its simplified version:

$$S \rightarrow \epsilon | ab | ba$$

- $R = (\epsilon | a)^*$

$$S \rightarrow \epsilon | AS \quad A \rightarrow \epsilon | a$$

## Example 1: Regular Languages

For a given RE  $R$ , construct a CFG  $G$  such that  $L(G) = L(R)$ .

- $R = \epsilon | ab | ba$

$$\begin{array}{llll} S \rightarrow F | D & A \rightarrow a & C \rightarrow AB & E \rightarrow \epsilon \\ & B \rightarrow b & D \rightarrow BA & F \rightarrow E | C \end{array}$$

Its simplified version:

$$S \rightarrow \epsilon | ab | ba$$

- $R = (\epsilon | a)^*$

$$S \rightarrow \epsilon | AS \quad A \rightarrow \epsilon | a$$

- $R = (0 | 1(01^*0)^*1)^*$

$$\begin{array}{lll} S \rightarrow \epsilon | AS & A \rightarrow 0 | 1B1 & C \rightarrow 0D0 \\ & B \rightarrow \epsilon | CB & D \rightarrow \epsilon | 1D \end{array}$$



## Example 2: $b^n a^m b^{2n}$

Construct a CFG for the language:

$$L = \{b^n a^m b^{2n} \mid n, m \geq 0\}$$

## Example 2: $b^n a^m b^{2n}$

Construct a CFG for the language:

$$L = \{b^n a^m b^{2n} \mid n, m \geq 0\}$$

$$S \rightarrow A \mid bSbb$$

$$A \rightarrow \epsilon \mid aA$$

## Example 2: $b^n a^m b^{2n}$

Construct a CFG for the language:

$$L = \{b^n a^m b^{2n} \mid n, m \geq 0\}$$

$$S \rightarrow A \mid bSbb$$

$$A \rightarrow \epsilon \mid aA$$

A derivation for bbaaabbbb:

$$\begin{aligned} S &\Rightarrow bSbb && \Rightarrow bbSbbbb && \Rightarrow bbAbbbb \\ &\Rightarrow bbaAbbbb && \Rightarrow bbaaAbbbb && \Rightarrow bbaaaAbbbb \\ &\Rightarrow bbaaabbbb \end{aligned}$$

## Example 3: Well-Formed Brackets

Construct a CFG for the language:

$$L = \{w \in \{(, ), \{, \}, [, ]\}^* \mid w \text{ is well-formed}\}$$

## Example 3: Well-Formed Brackets

Construct a CFG for the language:

$$L = \{w \in \{ (, ), \{, \}, [, ] \}^* \mid w \text{ is well-formed} \}$$

$$S \rightarrow \epsilon \mid (S) \mid \{S\} \mid [S] \mid SS$$

## Example 3: Well-Formed Brackets

Construct a CFG for the language:

$$L = \{w \in \{ (, ), \{, \}, [, ] \}^* \mid w \text{ is well-formed} \}$$

$$S \rightarrow \epsilon \mid (S) \mid \{S\} \mid [S] \mid SS$$

A derivation for  $(\{\})\{\}\{()\}[]$ :

$$\begin{aligned} S &\Rightarrow SS && \Rightarrow SSS && \Rightarrow (S)SS \\ &\Rightarrow (\{S\})SS && \Rightarrow (\{\})SS && \Rightarrow (\{\})\{S\}S \\ &\Rightarrow (\{\})\{S\}S && \Rightarrow (\{\})\{S\}[S] && \Rightarrow (\{\})\{S\}[SS] \\ &\Rightarrow (\{\})\{S\}[(S)S] && \Rightarrow (\{\})\{S\}[(\ )S] && \Rightarrow (\{\})\{S\}[(\ ) [S]] \\ &\Rightarrow (\{\})\{S\}[(\ ) []] \end{aligned}$$

## Example 4: Equal Number of a's and b's

Construct a CFG for the language:

$$L = \{w \in \{a, b\}^* \mid N_a(w) = N_b(w)\}$$

where  $N_a(w)$  and  $N_b(w)$  are the number of a's and b's in  $w$ , respectively.

## Example 4: Equal Number of a's and b's

Construct a CFG for the language:

$$L = \{w \in \{a, b\}^* \mid N_a(w) = N_b(w)\}$$

where  $N_a(w)$  and  $N_b(w)$  are the number of a's and b's in  $w$ , respectively.

$$S \rightarrow \epsilon \mid aSb \mid bSa \mid SS$$



## Example 4: Equal Number of a's and b's

Construct a CFG for the language:

$$L = \{w \in \{a, b\}^* \mid N_a(w) = N_b(w)\}$$

where  $N_a(w)$  and  $N_b(w)$  are the number of a's and b's in  $w$ , respectively.

$$S \rightarrow \epsilon \mid aSb \mid bSa \mid SS$$

The left-most derivation for  $abbaaabb$ :

$$\begin{array}{l} S \xrightarrow{\text{lm}} aSb \quad \xrightarrow{\text{lm}} aSSb \quad \xrightarrow{\text{lm}} abSaSb \\ \xrightarrow{\text{lm}} abbSaaSb \quad \xrightarrow{\text{lm}} abbaaSb \quad \xrightarrow{\text{lm}} abbaaaSbb \\ \xrightarrow{\text{lm}} abbaaabb \end{array}$$

## Example 5: Unequal Number of a's and b's

Construct a CFG for the language:

$$L = \{w \in \{a, b\}^* \mid N_a(w) \neq N_b(w)\}$$

where  $N_a(w)$  and  $N_b(w)$  are the number of a's and b's in  $w$ , respectively.

## Example 5: Unequal Number of a's and b's

Construct a CFG for the language:

$$L = \{w \in \{a, b\}^* \mid N_a(w) \neq N_b(w)\}$$

where  $N_a(w)$  and  $N_b(w)$  are the number of a's and b's in  $w$ , respectively.

$$\begin{aligned} S &\rightarrow P \mid N \\ P &\rightarrow ZP \mid aP \mid aZ \\ N &\rightarrow ZN \mid bN \mid bZ \\ Z &\rightarrow \epsilon \mid aZb \mid bZa \mid ZZ \end{aligned}$$

## Example 5: Unequal Number of a's and b's

Construct a CFG for the language:

$$L = \{w \in \{a, b\}^* \mid N_a(w) \neq N_b(w)\}$$

where  $N_a(w)$  and  $N_b(w)$  are the number of a's and b's in  $w$ , respectively.

$$\begin{aligned} S &\rightarrow P \mid N \\ P &\rightarrow ZP \mid aP \mid aZ \\ N &\rightarrow ZN \mid bN \mid bZ \\ Z &\rightarrow \epsilon \mid aZb \mid bZa \mid ZZ \end{aligned}$$

The right-most derivation for aabbbaaab:

$$\begin{array}{lll} S & \xrightarrow{\text{rm}} & P & \xrightarrow{\text{rm}} & ZP & \xrightarrow{\text{rm}} & ZaZ \\ & \xrightarrow{\text{rm}} & ZaaZb & \xrightarrow{\text{rm}} & Zaab & \xrightarrow{\text{rm}} & ZZaab \\ & \xrightarrow{\text{rm}} & ZbZaaab & \xrightarrow{\text{rm}} & Zbaaab & \xrightarrow{\text{rm}} & aZbbaaab \\ & \xrightarrow{\text{rm}} & aaZbbbaaab & \xrightarrow{\text{rm}} & aabbbaaab & & \end{array}$$

## Example 6: Arithmetic Expressions

An **arithmetic expression** is defined with the following CFG:

$$S \rightarrow N \mid X \mid S+S \mid S*S \mid (S)$$

$$N \rightarrow 0 \mid \dots \mid 9 \mid 0N \mid \dots \mid 9N$$

$$X \rightarrow a \mid \dots \mid z$$

## Example 6: Arithmetic Expressions

An **arithmetic expression** is defined with the following CFG:

$$\begin{aligned} S &\rightarrow N \mid X \mid S+S \mid S*S \mid (S) \\ N &\rightarrow 0 \mid \dots \mid 9 \mid 0N \mid \dots \mid 9N \\ X &\rightarrow a \mid \dots \mid z \end{aligned}$$

The left-most derivation for  $13*(2+x)$ :

$$\begin{aligned} S &\xRightarrow{\text{lm}} S*S && \xRightarrow{\text{lm}} N*S && \xRightarrow{\text{lm}} 1N*S \\ &\xRightarrow{\text{lm}} 13*S && \xRightarrow{\text{lm}} 13*(S) && \xRightarrow{\text{lm}} 13*(S+S) \\ &\xRightarrow{\text{lm}} 13*(N+S) && \xRightarrow{\text{lm}} 13*(2+S) && \xRightarrow{\text{lm}} 13*(2+X) \\ &\xRightarrow{\text{lm}} 13*(2+x) \end{aligned}$$

## Example 7: Regular Expressions

Is the following language regular? or context-free?

$$L = \{w \in \{\emptyset, \varepsilon, a, b, |, *, (, )\}^* \mid w \text{ is a regular expression over } \{a, b\}\}$$

## Example 7: Regular Expressions

Is the following language regular? or context-free?

$$L = \{w \in \{\emptyset, \varepsilon, a, b, |, *, (, )\}^* \mid w \text{ is a regular expression over } \{a, b\}\}$$

We can prove that  $L$  is not regular using the pumping lemma.

(Hint: consider a word  $(^n\varepsilon)^n$  for a given  $n > 0$ )



## Example 7: Regular Expressions

Is the following language regular? or context-free?

$$L = \{w \in \{\emptyset, \varepsilon, a, b, |, *, (, )\}^* \mid w \text{ is a regular expression over } \{a, b\}\}$$

We can prove that  $L$  is not regular using the pumping lemma.

(Hint: consider a word  $(^n\varepsilon)^n$  for a given  $n > 0$ )

The language  $L$  is context-free:

$$S \rightarrow \emptyset \mid \varepsilon \mid a \mid b \mid S \mid S \mid S^* \mid (S)$$

## Example 7: Regular Expressions

Is the following language regular? or context-free?

$$L = \{w \in \{\emptyset, \varepsilon, a, b, |, *, (, )\}^* \mid w \text{ is a regular expression over } \{a, b\}\}$$

We can prove that  $L$  is not regular using the pumping lemma.

(Hint: consider a word  $(^n\varepsilon)^n$  for a given  $n > 0$ )

The language  $L$  is context-free:

$$S \rightarrow \emptyset \mid \varepsilon \mid a \mid b \mid S \mid S \mid SS \mid S^* \mid (S)$$

The right-most derivation for  $(\varepsilon \mid ab)^*$ :

$$\begin{aligned} S &\xrightarrow{\text{rm}} S^* && \xrightarrow{\text{rm}} (S)^* && \xrightarrow{\text{rm}} (S \mid S)^* \\ &\xrightarrow{\text{rm}} (S \mid SS)^* && \xrightarrow{\text{rm}} (S \mid Sb)^* && \xrightarrow{\text{rm}} (S \mid ab)^* \\ &\xrightarrow{\text{rm}} (\varepsilon \mid ab)^* \end{aligned}$$

We can define a CFG for a simplified version of Scala syntax<sup>1</sup>:

(Scala Program)	$S \rightarrow E \mid E ; S$
(Expressions)	$E \rightarrow N \mid X \mid E + E \mid E - E \mid E * E \mid E / E$ $\mid \text{val } X : T = E$ $\mid \text{def } X(P) : T = E$ $\mid E(A)$ $\mid \text{if } (E) E \text{ else } E$ $\mid \text{trait } T(P)$ $\mid \text{case class } T(P)$ $\mid E \text{ match } \{ C \}$
(Numbers)	$N \rightarrow 0 \mid \dots \mid 9 \mid 0N \mid \dots \mid 9N$
(Variables)	$X \rightarrow Y \mid YX$ $Y \rightarrow \_ \mid a \mid \dots \mid z \mid A \mid \dots \mid Z$
(Types)	$T \rightarrow X \mid T [ T ] \mid T \Rightarrow T$
(Parameters)	$P \rightarrow \epsilon \mid X : T \mid P , X : T$
(Arguments)	$A \rightarrow \epsilon \mid E \mid A , E$
(Cases)	$C \rightarrow \text{case } E \Rightarrow E \mid C ; \text{case } E \Rightarrow E$

<sup>1</sup><https://docs.scala-lang.org/scala3/reference/syntax.html>

```
def sum(n: Int): Int = n match { case 0 => 0; case n => n + sum(n - 1) }
```

The left-most derivation for this program:

$$\begin{aligned}
 S &\xrightarrow{\text{lm}} \text{def } X(P): T = E && \xrightarrow{\text{lm}^*} \text{def sum}(P): T = E \\
 &\xrightarrow{\text{lm}^*} \text{def sum}(X: T): T = E && \xrightarrow{\text{lm}^*} \text{def sum}(n: \text{Int}): \text{Int} = E \\
 &\xrightarrow{\text{lm}^*} \text{def sum}(n: \text{Int}): \text{Int} = E \text{ match } \{ C \} \\
 &\xrightarrow{\text{lm}^*} \text{def sum}(n: \text{Int}): \text{Int} = n \text{ match } \{ C \} \\
 &\xrightarrow{\text{lm}^*} \text{def sum}(n: \text{Int}): \text{Int} = n \text{ match } \{ \text{case } E \Rightarrow E ; C \} \\
 &\xrightarrow{\text{lm}^*} \text{def sum}(n: \text{Int}): \text{Int} = n \text{ match } \{ \text{case } 0 \Rightarrow 0 ; C \} \\
 &\xrightarrow{\text{lm}^*} \text{def sum}(n: \text{Int}): \text{Int} = n \text{ match } \{ \text{case } 0 \Rightarrow 0 ; \text{case } E \Rightarrow E \} \\
 &\xrightarrow{\text{lm}^*} \text{def sum}(n: \text{Int}): \text{Int} = n \text{ match } \{ \text{case } 0 \Rightarrow 0 ; \text{case } n \Rightarrow E \} \\
 &\xrightarrow{\text{lm}^*} \text{def sum}(n: \text{Int}): \text{Int} = n \text{ match } \{ \text{case } 0 \Rightarrow 0 ; \text{case } n \Rightarrow E + E \} \\
 &\xrightarrow{\text{lm}^*} \text{def sum}(n: \text{Int}): \text{Int} = n \text{ match } \{ \text{case } 0 \Rightarrow 0 ; \text{case } n \Rightarrow n + E \} \\
 &\xrightarrow{\text{lm}^*} \text{def sum}(n: \text{Int}): \text{Int} = n \text{ match } \{ \text{case } 0 \Rightarrow 0 ; \text{case } n \Rightarrow n + \text{sum}(n - 1) \}
 \end{aligned}$$

## 1. Examples of Context-Free Grammars

Example 1: Regular Languages

Example 2:  $b^n a^m b^{2n}$

Example 3: Well-Formed Brackets

Example 4: Equal Number of a's and b's

Example 5: Unequal Number of a's and b's

Example 6: Arithmetic Expressions

Example 7: Regular Expressions

Example 8: Simplified Scala Syntax

- Parse Trees and Ambiguity

Jihyeok Park  
jihyeok\_park@korea.ac.kr  
<https://plrg.korea.ac.kr>