

# Lecture 16 – Equivalence of Pushdown Automata and Context-Free Grammars

## COSE215: Theory of Computation

Jihyeok Park



2024 Spring


# Recall

A **context-free grammar** is a 4-tuple:

$$G = (V, \Sigma, S, R)$$

A **pushdown automaton (PDA)** is a finite automaton with a **stack**.

- Acceptance by **final states**
- Acceptance by **empty stacks**



## Contents

## 1. Equivalence of PDA by Final States and Empty Stacks

## PDA<sub>FS</sub> to PDA<sub>ES</sub>

## PDA<sub>ES</sub> to PDA<sub>FS</sub>

## 2. Equivalence of PDA and CFGs

## CFGs to PDA<sub>ES</sub>

PDA<sub>ES</sub> to CFGs



# Contents

## 1. Equivalence of PDA by Final States and Empty Stacks

PDA<sub>FS</sub> to PDA<sub>ES</sub>


PDA<sub>ES</sub> to PDA<sub>FS</sub>

## 2. Equivalence of PDA and CFGs

CFGs to PDA<sub>ES</sub>

PDA<sub>ES</sub> to CFGs



PDA<sub>FS</sub> to PDA<sub>ES</sub>Theorem (PDA<sub>FS</sub> to PDA<sub>ES</sub>)For a given PDA  $P = (Q, \Sigma, \Gamma, \delta, q_0, Z, F)$ ,  $\exists$  PDA  $P'$ .  $L_F(P) = L_E(P')$ .

Theorem (PDA<sub>FS</sub> to PDA<sub>ES</sub>)

For a given PDA  $P = (Q, \Sigma, \Gamma, \delta, q_0, Z, F)$ ,  $\exists$  PDA  $P'$ .  $L_F(P) = L_E(P')$ .

Define a PDA

$$P' = (Q \cup \{q'_0, q'_1\}, \Sigma, \Gamma \cup \{Z'\}, \delta', q'_0, Z', \emptyset)$$

where

$$\delta'(q'_0, \epsilon, Z') = \{(q_0, ZZ')\}$$



$$\delta'(q \in Q, a \in \Sigma, X \in \Gamma) = \delta(q, a, X)$$

$$\delta'(q \in Q, \epsilon, X \in \Gamma \cup \{Z'\}) = \begin{cases} \delta(q, \epsilon, X) \cup \{(q'_1, \epsilon)\} & \text{if } q \in F \\ \delta(q, \epsilon, X) & \text{otherwise} \end{cases}$$

$$\delta'(q'_1, \epsilon, X \in \Gamma \cup \{Z'\}) = \{(q'_1, \epsilon)\}$$


PDA<sub>FS</sub> to PDA<sub>ES</sub> – Example

$$L_F(P) = L_E(P') = \{a^n b^n \mid n \geq 0\}$$



Theorem (PDA<sub>ES</sub> to PDA<sub>FS</sub>)

For a given PDA  $P = (Q, \Sigma, \Gamma, \delta, q_0, Z, F)$ ,  $\exists$  PDA  $P'$ .  $L_E(P) = L_F(P')$ .



Theorem (PDA<sub>ES</sub> to PDA<sub>FS</sub>)

For a given PDA  $P = (Q, \Sigma, \Gamma, \delta, q_0, Z, F)$ ,  $\exists$  PDA  $P'$ .  $L_E(P) = L_F(P')$ .

Define a PDA

$$P' = (Q \cup \{q'_0, q'_1\}, \Sigma, \Gamma \cup \{Z'\}, \delta', q'_0, Z', \{q'_1\})$$

where

$$\delta'(q'_0, \epsilon, Z') = \{(q_0, ZZ')\}$$



$$\delta'(q \in Q, a \in \Sigma, X \in \Gamma) = \delta(q, a, X)$$

$$\delta'(q \in Q, \epsilon, X \in \Gamma) = \delta(q, \epsilon, X)$$

$$\delta'(q \in Q, \epsilon, Z') = \{(q'_1, Z')\}$$

PDA<sub>ES</sub> to PDA<sub>FS</sub> – Example

$$L_E(P) = L_F(P') = \{a^n b^n \mid n \geq 0\}$$



# Contents

## 1. Equivalence of PDA by Final States and Empty Stacks

PDA<sub>FS</sub> to PDA<sub>ES</sub>

PDA<sub>ES</sub> to PDA<sub>FS</sub>

## 2. Equivalence of PDA and CFGs

CFGs to PDA<sub>ES</sub>

PDA<sub>ES</sub> to CFGs



## Theorem (CFGs to PDA<sub>ES</sub>)

For a given CFG  $G = (V, \Sigma, S, R)$ ,  $\exists$  PDA  $P$ .  $L(G) = L_E(P)$ .

Define a PDA

$$P = (\{q\}, \Sigma, V \cup \Sigma, \delta, q, S, \emptyset)$$

where

$$\delta(q, \epsilon, A \in V) = \{(q, \alpha) \mid A \rightarrow \alpha \in R\}$$

$$\delta(q, a \in \Sigma, a \in \Sigma) = \{(q, \epsilon)\}$$


## CFGs to PDAs – Example

$$\begin{aligned}\delta(q, \epsilon, A \in V) &= \{(q, \alpha) \mid A \rightarrow \alpha \in R\} \\ \delta(q, a \in \Sigma, a \in \Sigma) &= \{(q, \epsilon)\}\end{aligned}$$

Consider the following CFG:

$$S \rightarrow \epsilon \mid aSb \mid bSa \mid SS$$

Then, the equivalent PDA (by empty stacks) is:



# PDA<sub>ES</sub> to CFGs

## Theorem (PDA<sub>ES</sub> to CFGs)

For a given PDA  $P = (Q = \{q_0, \dots, q_{n-1}\}, \Sigma, \Gamma, \delta, q_0, Z, F)$ ,  
 $\exists$  CFG  $G$ .  $L_E(P) = L(G)$ .

The key idea is defining a variable  $A_{i,j}^X$  for each  $0 \leq i, j < n$  and  $X \in \Gamma$  that generates all words causing the PDA to move from  $q_i$  to  $q_j$  by popping  $X$ :

$$A_{i,j}^X \Rightarrow^* w \quad \text{if and only if} \quad (q_i, w, X) \vdash^* (q_j, \epsilon, \epsilon)$$

With this idea, we can define a CFG that generates all words accepted by the PDA  $P$  with empty stacks as follows:

$$S \rightarrow A_{0,0}^Z \mid A_{0,1}^Z \mid \dots \mid A_{0,n-1}^Z$$

Then, how to define production rules for  $A_{i,j}^X$ ?

## PDA<sub>ES</sub> to CFGs

We can define production rules for  $A_{i,j}^X$  as follows.

Consider a transition  $(q_j, X_1 \cdots X_m) \in \delta(q_i, a, X)$  for all  $q_i \in Q$ ,  $a \in \Sigma \cup \{\epsilon\}$ ,  $X \in \Gamma$ .

It makes PDA move from  $q_i$  to  $q_j$  by replacing  $X$  with  $X_1 \cdots X_m$ .

Then, we need to pop  $X_1, \dots, X_m$  from the stack to make the stack empty.

Let  $k_1, \dots, k_m$  be the states that the PDA moves to after popping  $X_1, \dots, X_m$ , respectively.


To cover all possible combinations of  $k_1, \dots, k_m$ , we need to define a production rule for  $A_{i,k_m}^X$  as follows:

$$A_{i,k_m}^X \rightarrow a A_{j,k_1}^{X_1} A_{k_1,k_2}^{X_2} \cdots A_{k_{m-1},k_m}^{X_m} \text{ for all } 0 \leq k_1, \dots, k_m < n$$

# PDA<sub>ES</sub> to CFGs – Example

$$S \rightarrow A_{0,j}^Z \quad A_{i,k_m}^X \rightarrow a A_{j,k_1}^{X_1} A_{k_1,k_2}^{X_2} \cdots A_{k_{m-1},k_m}^{X_m}$$

Consider the following PDA (by empty stacks):



Then, the equivalent CFG is:

$$\begin{aligned}
 S &\rightarrow A_{0,0}^Z \mid A_{0,1}^Z \\
 A_{0,0}^Z &\rightarrow a A_{0,0}^X A_{0,0}^Z \mid a A_{0,1}^X A_{1,0}^Z \mid A_{1,0}^Z \\
 A_{0,1}^Z &\rightarrow a A_{0,0}^X A_{0,1}^Z \mid a A_{0,1}^X A_{1,1}^Z \mid A_{1,1}^Z \\
 A_{0,0}^X &\rightarrow a A_{0,0}^X A_{0,0}^X \mid a A_{0,1}^X A_{1,0}^X \mid A_{1,0}^X \\
 A_{0,1}^X &\rightarrow a A_{0,0}^X A_{0,1}^X \mid a A_{0,1}^X A_{1,1}^X \mid A_{1,1}^X \\
 A_{1,1}^Z &\rightarrow \epsilon \\
 A_{1,1}^X &\rightarrow b
 \end{aligned}$$

$$\begin{aligned}
 S &\Rightarrow A_{0,1}^Z \\
 &\Rightarrow a A_{0,1}^X A_{1,1}^Z \\
 &\Rightarrow aa A_{0,1}^X A_{1,1}^X A_{1,1}^Z \\
 &\Rightarrow aa A_{1,1}^X A_{1,1}^X A_{1,1}^Z \\
 &\Rightarrow aab A_{1,1}^X A_{1,1}^Z \\
 &\Rightarrow aabb A_{1,1}^Z \\
 &\Rightarrow aabb
 \end{aligned}$$

## Summary

## 1. Equivalence of PDA by Final States and Empty Stacks

## PDA<sub>FS</sub> to PDA<sub>ES</sub>

## PDA<sub>ES</sub> to PDA<sub>FS</sub>

## 2. Equivalence of PDA and CFGs

CFGs to PDA<sub>ES</sub>

## PDA<sub>ES</sub> to CFGs



- Deterministic Pushdown Automata (DPDA)

Jihyeok Park  
[jihyeok\\_park@korea.ac.kr](mailto:jihyeok_park@korea.ac.kr)  
<https://plrg.korea.ac.kr>