Final Exam COSE215: Theory of Computation 2025 Spring

Instructor: Jihyeok Park

June 23, 2025. 13:30-14:45

- If you are not good at English, please write your answers in Korean. (영어가 익숙하지 않은 경우, 답안을 한글로 작성해 주세요.)
- Write answers in good handwriting. If we cannot recognize your answers, you will not get any points. (글씨를 알아보기 힘들면 점수를 드릴 수 없습니다. 답안을 읽기 좋게 작성해주세요.)
- Write your answers in the boxes provided. (답안을 제공된 박스 안에 작성해 주세요.)

Student ID	
Student Name	

Question:	1	2	3	4	5	6	7	8	Total
Points:	10	15	10	15	15	10	10	15	100
Score:									

- 1. 10 points True/False questions. Answer O for True and X for False.
 - 1. The complement of a context-free language (CFL) is always a CFL.
 - 2. All pushdown automata (PDAs) can be converted to equivalent context-free grammars (CFGs).
 - 3. All deterministic CFLs can be defined by unambiguous CFGs.
 - 4. The cardinality of the set of all Turing machines (TMs) is \aleph_1 .
 - 5. All CFLs can be recognized by empty stacks of a PDA having a single state.
 - 6. If P = NP, then NP-hard problems are in P.
 - 7. There is no polynomial-time reduction from a NP-hard problem to another problem.
 - 8. There is no NP problem can be solved by a TM in polynomial time.
 - 9. The universal language $L_u = \{(M, w) \mid M \text{ is a } TM \land w \in L(M)\}$ is undecidable.
 - 10. Lambda calculus is a Turing-complete language.
- 2. 15 points Explain the languages defined by the empty stacks (L_E) or final states (L_F) of PDAs P_i .

(a)
$$\boxed{5 \text{ points}} \ L_F(P_1) = \{$$

$$a \begin{bmatrix} Z \to XXXZ \\ a \begin{bmatrix} X \to XXXX \end{bmatrix} \ b \begin{bmatrix} X \to e \end{bmatrix} \\ P_1 = \underbrace{\left[X \to XXX \end{bmatrix} \ q_0 \ e \begin{bmatrix} X \to X \end{bmatrix} \ q_0 \ e \begin{bmatrix} Z \to Z \end{bmatrix} \ q_2 \ q_2 \ p_2 = \underbrace{\left[X \to YX \right] \ b \begin{bmatrix} Y \to X \end{bmatrix} \ c \begin{bmatrix} X \to e \end{bmatrix} \\ P_2 = \underbrace{\left[X \to YX \right] \ b \begin{bmatrix} Y \to X \end{bmatrix} \ c \begin{bmatrix} X \to e \end{bmatrix} \\ q_1 \ q_0 \ e \begin{bmatrix} X \to e \end{bmatrix} \ q_1 \$$

- 3. 10 points We can freely **convert** a PDA to an equivalent **context-free grammar (CFG)** and vice versa.
 - (a) 5 points Consider the following CFG:

 $S \to \epsilon \mid \mathbf{a}S\mathbf{b}S \mid \mathbf{b}S\mathbf{a}S$

Construct a PDA accepting the language of the above CFG by its **empty stacks** with a **single state**.

(b) 5 points Consider the following PDA:

a
$$[X \to YX]$$

b $[Y \to X]$ c $[X \to \epsilon]$
start $[X] \longrightarrow q_0$ c $[X \to \epsilon]$

Fill in the blanks in the production rules of the following CFG that represents the language accepted by **empty stacks** of the PDA.



Note that each variable $A_{i,j}^X$ should generate all words that cause the PDA to move from the state q_i to the state q_j by popping the alphabet X.

 $A_{i,j}^X \Rightarrow^* w$ if and only if $(q_i, w, X) \vdash^* (q_j, \epsilon, \epsilon)$

Each right-hand side should consist of terminals and variables $A_{0,1}^X$, $A_{1,1}^X$, $A_{0,1}^Y$, $A_{1,1}^Y$ and might contain multiple productions. You can omit productions for useless (non-generating or unreachable) variables.

- 4. 15 points Consider the following languages:
 - 1. $L_1 = \{ ab^n \mid n \ge 1 \}$ 6. $L_6 = \{ ww^R \mid w \in \{ a, b \}^* \}$
 - 2. $L_2 = \{ \mathbf{a}^n \mathbf{b} \mid n \ge 1 \}$ 7. $L_7 = \{ w \mathbf{c} w^R \mid w \in \{ \mathbf{a}, \mathbf{b} \}^* \}$
 - 3. $L_3 = \{ \mathbf{a}^n \mathbf{b}^n \mid n \ge 1 \}$ 8. $L_8 = \{ w \mathbf{c} w \mid w \in \{ \mathbf{a}, \mathbf{b} \}^* \}$
 - 4. $L_4 = \{ \mathbf{a}^n \mathbf{b}^n \mathbf{c}^n \mid n \ge 1 \}$ 9. $L_9 = \{ w \in \{ \mathbf{a}, \mathbf{b} \}^* \mid \mathbb{N}_{\mathbf{a}}(w) = \mathbb{N}_{\mathbf{b}}(w) \}$

5.
$$L_5 = \{ \mathbf{a}^i \mathbf{b}^j \mathbf{c}^k \mid i = j \lor j = k \}$$
 10. $L_{10} = \{ w \in \{ \mathbf{a}, \mathbf{b} \}^* \mid \mathbb{N}_{\mathbf{a}}(w) \neq \mathbb{N}_{\mathbf{b}}(w) \}$

where $\mathbb{N}_{a}(w)$ and $\mathbb{N}_{b}(w)$ denote the number of a's and b's in w, respectively.

(a) 10 points Consider the following classes of languages.

- CFL: the class of context-free languages.
- DCFL: the class of deterministic context-free languages.
- DCFL_{ES}: the class of deterministic context-free languages by empty stacks.
- **RL**: the class of **regular languages**.

The following Venn diagram shows the relationships between these language classes. Place the above languages in the following Venn diagram using their numbers (e.g., 1, 2, ...).





(b) 5 points Some languages are **NOT DCFLs** but can still be defined by an **unambiguous** CFG. Find such a language in the **above list** and construct an **unambiguous** CFG for the language.

- 5. 15 points Please construct new CFGs $(G'_0, G'_1, \text{ and } G'_2)$ from the given CFG $(G_0, G_1, \text{ and } G_2)$ by applying the following transformations.
 - (a) 5 points Construct a CFG G'_0 consisting of productions produced by replacing nullable variables with ϵ in all combinations and removing all ϵ -productions in production rules in G_0 .

$$G_0 = \begin{cases} S \to AB \\ A \to \epsilon \mid 0A \\ B \to 1 \mid AA \end{cases}$$

 $G'_0 =$

(b) 5 points Construct a CFG G'_1 by removing all **unit productions** and adding all possible **non-unit productions** of Y to X for each **unit pair** (Y, X) in G_1 .

$$G_1 = \left\{ \begin{array}{l} S \rightarrow \mathbf{0} \mid A \mid B \\ A \rightarrow \mathbf{0}A \mid B \\ B \rightarrow \mathbf{1} \mid \mathbf{1}A \end{array} \right.$$



(c) 5 points Construct a CFG G'_2 by removing all productions that contain **non-generating variables** or come from **unreachable variables** in G_2 .

$$G_{2} = \begin{cases} S \rightarrow 0 \mid BD \mid 1E \\ A \rightarrow 1 \mid AC \\ B \rightarrow 0D \mid 1BB \\ C \rightarrow 0 \mid AB \\ D \rightarrow BD \\ E \rightarrow 0B \mid 11 \end{cases}$$

 $G'_2 =$

6. 10 points Fill in the blanks in the **proof** showing that the language L is **not** a **context-free language** (CFL) using the **pumping lemma** for CFLs.

$$L = \{\mathbf{a}^i \mathbf{b}^j \mathbf{c}^k \mid 0 \le i \le j \le k\}$$

- 1. Assume that any positive integer n is given. (i.e., $n \ge 1$)
- 2. Pick a word $L \ni z =$
- 3. |z| =
 - 4. Assume that any split z = uvwxy satisfying (1) |vx| > 0 and (2) $|vwx| \le n$ is given.

 $\geq n.$

5. We need to show that $\neg(3) uv^i wx^i y \notin L$ for some $i \ge 0$:

7. 10 points Draw a Turing machine (TM) *M* accepting the following language:

 $\{\mathbf{a}^n \mid n \text{ is a Fibonacci number}\}$

The k-th Fibonacci number F(k) is defined as follows:

F(0) = 0, F(1) = 1, F(k) = F(k-1) + F(k-2) for $k \ge 2$



8. 15 points Consider a computable function f defined by the following TM M.



This is the last page. I hope that your tests went well!