Construct a **non-deterministic TM** that accepts the language:

$$L(M) = \{ww^R \mid w \in \{\mathtt{a}, \mathtt{b}\}^*\}$$

$\cdots$	B	a	b	b	a	B	$\cdots$

1: Find the middle in the input
2: Check if first and second half are reverse of each other

Construct a **non-deterministic TM** that accepts the language:

$$L(M) = \{ww^R \mid w \in \{\mathtt{a}, \mathtt{b}\}^*\}$$

$\cdots$	B	a	b	b	a	B	$\cdots$



Find the middle in the input.

Construct a **non-deterministic TM** that accepts the language:

$$L(M) = \{ww^R \mid w \in \{\mathtt{a}, \mathtt{b}\}^*\}$$

$\cdots$	B	a	b	b	a	B	$\cdots$



Construct a **non-deterministic TM** that accepts the language:

$$L(M) = \{ww^R \mid w \in \{\mathtt{a}, \mathtt{b}\}^*\}$$





Check if first and second half are reverse of each other.

Construct a **non-deterministic TM** that accepts the language:

$$L(M) = \{ww^R \mid w \in \{\mathtt{a}, \mathtt{b}\}^*\}$$

$\cdots$	B	a	b	Y	a	B	$\cdots$



Construct a **non-deterministic TM** that accepts the language:

$$L(M) = \{ww^R \mid w \in \{\mathtt{a}, \mathtt{b}\}^*\}$$

$\cdots$	B	a	Y	Y	a	B	$\cdots$



Construct a **non-deterministic TM** that accepts the language:

$$L(M) = \{ww^R \mid w \in \{\mathtt{a}, \mathtt{b}\}^*\}$$

$\cdots$	B	a	Y	Y	a	B	$\cdots$



Construct a **non-deterministic TM** that accepts the language:

$$L(M) = \{ww^R \mid w \in \{\mathtt{a}, \mathtt{b}\}^*\}$$

$\cdots$	B	a	Y	Y	X	B	$\cdots$



Construct a **non-deterministic TM** that accepts the language:

$$L(M) = \{ww^R \mid w \in \{\mathtt{a}, \mathtt{b}\}^*\}$$

$\cdots$	B	a	Y	Y	X	B	$\cdots$



Construct a **non-deterministic TM** that accepts the language:

$$L(M) = \{ww^R \mid w \in \{\mathtt{a}, \mathtt{b}\}^*\}$$

$\cdots$	B	a	Y	Y	X	B	$\cdots$



Construct a **non-deterministic TM** that accepts the language:

$$L(M) = \{ww^R \mid w \in \{\mathtt{a}, \mathtt{b}\}^*\}$$

$\cdots$	B	X	Y	Y	X	B	$\cdots$



Construct a **non-deterministic TM** that accepts the language:

$$L(M) = \{ww^R \mid w \in \{\mathtt{a}, \mathtt{b}\}^*\}$$

$\cdots$	B	X	Y	Y	X	B	$\cdots$



Construct a **non-deterministic TM** that accepts the language:

$$L(M) = \{ww^R \mid w \in \{\mathtt{a}, \mathtt{b}\}^*\}$$

$\cdots$	B	X	Y	Y	X	B	$\cdots$



Construct a **non-deterministic TM** that accepts the language:

$$L(M) = \{ww^R \mid w \in \{\mathtt{a}, \mathtt{b}\}^*\}$$

$\cdots$	B	X	Y	Y	X	B	$\cdots$



Construct a **non-deterministic TM** that accepts the language:

$$L(M) = \{ww^R \mid w \in \{\mathtt{a}, \mathtt{b}\}^*\}$$

$\cdots$	B	X	Y	Y	X	B	$\cdots$



Construct a **non-deterministic TM** that accepts the language:

$$L(M) = \{ww^R \mid w \in \{\mathtt{a}, \mathtt{b}\}^*\}$$

$\cdots$	B	X	Y	Y	X	B	$\cdots$



Construct a **non-deterministic TM** that accepts the language:

$$L(M) = \{ww^R \mid w \in \{\mathtt{a}, \mathtt{b}\}^*\}$$

$\cdots$	B	X	Y	Y	X	B	$\cdots$



Construct a **non-deterministic TM** that accepts the language:

$$L(M) = \{ww^R \mid w \in \{\mathtt{a}, \mathtt{b}\}^*\}$$

$\cdots$	B	X	Y	Y	X	B	$\cdots$



Construct a **non-deterministic TM** that accepts the language:

$$L(M) = \{ww^R \mid w \in \{\mathtt{a}, \mathtt{b}\}^*\}$$

$\cdots$	B	X	Y	Y	X	B	$\cdots$



Construct a **non-deterministic TM** that accepts the language:

$$L(M) = \{ww^R \mid w \in \{\mathtt{a}, \mathtt{b}\}^*\}$$

$\cdots$	B	X	Y	Y	X	B	$\cdots$



Accept!