

Construct a **Turing machine** that **accepts** the language:


$$L(M) = \{ww \mid w \in \{a, b\}^*\}$$

...	B	a	b	b	a	b	b	B	...
-----	-----	---	---	---	---	---	---	-----	-----

- 1: Find the middle of the input by repeatedly replacing leftmost and rightmost a's (or b's) with X's (or Y's)
- 2: Replace all X's (or Y's) with a's (or b's) in the first half
- 3: **while** there are input symbols in the first half **do**
- 4: Replace a (or b) with X (or Y) in the first half
- 5: Find and Replace X (or Y) with Z in the second half

Construct a **Turing machine** that **accepts** the language:

$$L(M) = \{ww \mid w \in \{a, b\}^*\}$$




Find the middle of the input.

Construct a **Turing machine** that **accepts** the language:

$$L(M) = \{ww \mid w \in \{a, b\}^*\}$$


\dots	B	X	b	b	a	b	b	B	\dots
---------	-----	-----	-----	-----	-----	-----	-----	-----	---------



Construct a **Turing machine** that **accepts** the language:

$$L(M) = \{ww \mid w \in \{a, b\}^*\}$$


\dots	B	X	b	b	a	b	b	B	\dots
---------	-----	-----	-----	-----	-----	-----	-----	-----	---------



Construct a **Turing machine** that **accepts** the language:

$$L(M) = \{ww \mid w \in \{a, b\}^*\}$$


\dots	B	X	b	b	a	b	b	B	\dots
---------	-----	-----	-----	-----	-----	-----	-----	-----	---------



Construct a **Turing machine** that **accepts** the language:


$$L(M) = \{ww \mid w \in \{a, b\}^*\}$$

\dots	B	X	b	b	a	b	b	B	\dots
---------	-----	-----	-----	-----	-----	-----	-----	-----	---------



Construct a **Turing machine** that **accepts** the language:


$$L(M) = \{ww \mid w \in \{a, b\}^*\}$$



Construct a **Turing machine** that **accepts** the language:

$$L(M) = \{ww \mid w \in \{a, b\}^*\}$$


\dots	B	X	b	b	a	b	b	B	\dots
---------	-----	-----	-----	-----	-----	-----	-----	-----	---------



Construct a **Turing machine** that **accepts** the language:

$$L(M) = \{ww \mid w \in \{a, b\}^*\}$$


\dots	B	X	b	b	a	b	b	B	\dots
---------	-----	-----	-----	-----	-----	-----	-----	-----	---------



Construct a **Turing machine** that **accepts** the language:

$$L(M) = \{ww \mid w \in \{a, b\}^*\}$$


\dots	B	X	b	b	a	b	Y	B	\dots
---------	-----	-----	-----	-----	-----	-----	-----	-----	---------



Construct a **Turing machine** that **accepts** the language:

$$L(M) = \{ww \mid w \in \{a, b\}^*\}$$


\dots	B	X	b	b	a	b	Y	B	\dots
---------	-----	-----	-----	-----	-----	-----	-----	-----	---------



Construct a **Turing machine** that **accepts** the language:

$$L(M) = \{ww \mid w \in \{a, b\}^*\}$$


\dots	B	X	b	b	a	b	Y	B	\dots
---------	-----	-----	-----	-----	-----	-----	-----	-----	---------



Construct a **Turing machine** that **accepts** the language:

$$L(M) = \{ww \mid w \in \{a, b\}^*\}$$


\dots	B	X	b	b	a	b	Y	B	\dots
---------	-----	-----	-----	-----	-----	-----	-----	-----	---------



Construct a **Turing machine** that **accepts** the language:

$$L(M) = \{ww \mid w \in \{a, b\}^*\}$$


\dots	B	X	b	b	a	b	Y	B	\dots
---------	-----	-----	-----	-----	-----	-----	-----	-----	---------



Construct a **Turing machine** that **accepts** the language:

$$L(M) = \{ww \mid w \in \{a, b\}^*\}$$


\dots	B	X	b	b	a	b	Y	B	\dots
---------	-----	-----	-----	-----	-----	-----	-----	-----	---------



Construct a **Turing machine** that **accepts** the language:

$$L(M) = \{ww \mid w \in \{a, b\}^*\}$$


\dots	B	X	Y	b	a	b	Y	B	\dots
---------	-----	-----	-----	-----	-----	-----	-----	-----	---------



Construct a **Turing machine** that **accepts** the language:


$$L(M) = \{ww \mid w \in \{a, b\}^*\}$$

\dots	B	X	Y	b	a	b	Y	B	\dots
---------	-----	-----	-----	-----	-----	-----	-----	-----	---------




Construct a **Turing machine** that **accepts** the language:

$$L(M) = \{ww \mid w \in \{a, b\}^*\}$$



Construct a **Turing machine** that **accepts** the language:


$$L(M) = \{ww \mid w \in \{a, b\}^*\}$$



Construct a **Turing machine** that **accepts** the language:

$$L(M) = \{ww \mid w \in \{a, b\}^*\}$$


\dots	B	X	Y	b	a	b	Y	B	\dots
---------	-----	-----	-----	-----	-----	-----	-----	-----	---------



Construct a **Turing machine** that **accepts** the language:

$$L(M) = \{ww \mid w \in \{a, b\}^*\}$$


\dots	B	X	Y	b	a	Y	Y	B	\dots
---------	-----	-----	-----	-----	-----	-----	-----	-----	---------



Construct a **Turing machine** that **accepts** the language:

$$L(M) = \{ww \mid w \in \{a, b\}^*\}$$


\dots	B	X	Y	b	a	Y	Y	B	\dots
---------	-----	-----	-----	-----	-----	-----	-----	-----	---------



Construct a **Turing machine** that **accepts** the language:

$$L(M) = \{ww \mid w \in \{a, b\}^*\}$$


\dots	B	X	Y	b	a	Y	Y	B	\dots
---------	-----	-----	-----	-----	-----	-----	-----	-----	---------



Construct a **Turing machine** that **accepts** the language:


$$L(M) = \{ww \mid w \in \{a, b\}^*\}$$

\dots	B	X	Y	b	a	Y	Y	B	\dots
---------	-----	-----	-----	-----	-----	-----	-----	-----	---------



Construct a **Turing machine** that **accepts** the language:


$$L(M) = \{ww \mid w \in \{a, b\}^*\}$$



Construct a **Turing machine** that **accepts** the language:

$$L(M) = \{ww \mid w \in \{a, b\}^*\}$$


\dots	B	X	Y	Y	a	Y	Y	B	\dots
---------	-----	-----	-----	-----	-----	-----	-----	-----	---------



Construct a **Turing machine** that **accepts** the language:

$$L(M) = \{ww \mid w \in \{a, b\}^*\}$$


\dots	B	X	Y	Y	a	Y	Y	B	\dots
---------	-----	-----	-----	-----	-----	-----	-----	-----	---------



Construct a **Turing machine** that **accepts** the language:

$$L(M) = \{ww \mid w \in \{a, b\}^*\}$$


\dots	B	X	Y	Y	X	Y	Y	B	\dots
---------	-----	-----	-----	-----	-----	-----	-----	-----	---------



Construct a **Turing machine** that **accepts** the language:


$$L(M) = \{ww \mid w \in \{a, b\}^*\}$$

\dots	B	X	Y	Y	X	Y	Y	B	\dots
---------	-----	-----	-----	-----	-----	-----	-----	-----	---------



Construct a **Turing machine** that **accepts** the language:

$$L(M) = \{ww \mid w \in \{a, b\}^*\}$$




Replace all X's (or Y's) with a's (or b's) in the first half.

Construct a **Turing machine** that **accepts** the language:

$$L(M) = \{ww \mid w \in \{a, b\}^*\}$$


\dots	B	X	Y	b	X	Y	Y	B	\dots
---------	-----	-----	-----	-----	-----	-----	-----	-----	---------



Construct a **Turing machine** that **accepts** the language:


$$L(M) = \{ww \mid w \in \{a, b\}^*\}$$

...	B	X	b	b	X	Y	Y	B	...
-----	---	---	---	---	---	---	---	---	-----




Construct a **Turing machine** that **accepts** the language:

$$L(M) = \{ww \mid w \in \{a, b\}^*\}$$



Construct a **Turing machine** that **accepts** the language:


$$L(M) = \{ww \mid w \in \{a, b\}^*\}$$



Replace a (or b) with X (or Y) in the first half.

Construct a **Turing machine** that **accepts** the language:


$$L(M) = \{ww \mid w \in \{a, b\}^*\}$$



Find and Replace X (or Y) with Z in the second half.


Construct a **Turing machine** that **accepts** the language:

$$L(M) = \{ww \mid w \in \{a, b\}^*\}$$




Construct a **Turing machine** that **accepts** the language:

$$L(M) = \{ww \mid w \in \{a, b\}^*\}$$



Construct a **Turing machine** that **accepts** the language:


$$L(M) = \{ww \mid w \in \{a, b\}^*\}$$



Construct a **Turing machine** that **accepts** the language:


$$L(M) = \{ww \mid w \in \{a, b\}^*\}$$

\dots	B	X	b	b	Z	Y	Y	B	\dots
---------	-----	-----	-----	-----	-----	-----	-----	-----	---------




Construct a **Turing machine** that **accepts** the language:

$$L(M) = \{ww \mid w \in \{a, b\}^*\}$$



Construct a **Turing machine** that **accepts** the language:

$$L(M) = \{ww \mid w \in \{a, b\}^*\}$$




Repeat until no input symbols in the first half.

Construct a **Turing machine** that **accepts** the language:

$$L(M) = \{ww \mid w \in \{a, b\}^*\}$$


\dots	B	X	Y	b	Z	Y	Y	B	\dots
---------	-----	-----	-----	-----	-----	-----	-----	-----	---------



Construct a **Turing machine** that **accepts** the language:

$$L(M) = \{ww \mid w \in \{a, b\}^*\}$$


\dots	B	X	Y	b	Z	Y	Y	B	\dots
---------	-----	-----	-----	-----	-----	-----	-----	-----	---------



Construct a **Turing machine** that **accepts** the language:

$$L(M) = \{ww \mid w \in \{a, b\}^*\}$$


\dots	B	X	Y	b	Z	Y	Y	B	\dots
---------	-----	-----	-----	-----	-----	-----	-----	-----	---------



Construct a **Turing machine** that **accepts** the language:

$$L(M) = \{ww \mid w \in \{a, b\}^*\}$$


\dots	B	X	Y	b	Z	Z	Y	B	\dots
---------	-----	-----	-----	-----	-----	-----	-----	-----	---------



Construct a **Turing machine** that **accepts** the language:

$$L(M) = \{ww \mid w \in \{a, b\}^*\}$$


\dots	B	X	Y	b	Z	Z	Y	B	\dots
---------	-----	-----	-----	-----	-----	-----	-----	-----	---------



Construct a **Turing machine** that **accepts** the language:

$$L(M) = \{ww \mid w \in \{a, b\}^*\}$$


\dots	B	X	Y	b	Z	Z	Y	B	\dots
---------	-----	-----	-----	-----	-----	-----	-----	-----	---------



Construct a **Turing machine** that **accepts** the language:

$$L(M) = \{ww \mid w \in \{a, b\}^*\}$$


\dots	B	X	Y	b	Z	Z	Y	B	\dots
---------	-----	-----	-----	-----	-----	-----	-----	-----	---------



Construct a **Turing machine** that **accepts** the language:


$$L(M) = \{ww \mid w \in \{a, b\}^*\}$$

\dots	B	X	Y	Y	Z	Z	Y	B	\dots
---------	-----	-----	-----	-----	-----	-----	-----	-----	---------



Construct a **Turing machine** that **accepts** the language:


$$L(M) = \{ww \mid w \in \{a, b\}^*\}$$



Construct a **Turing machine** that **accepts** the language:

$$L(M) = \{ww \mid w \in \{a, b\}^*\}$$


\dots	B	X	Y	Y	Z	Z	Y	B	\dots
---------	-----	-----	-----	-----	-----	-----	-----	-----	---------



Construct a **Turing machine** that **accepts** the language:

$$L(M) = \{ww \mid w \in \{a, b\}^*\}$$


\dots	B	X	Y	Y	Z	Z	Z	B	\dots
---------	-----	-----	-----	-----	-----	-----	-----	-----	---------



Construct a **Turing machine** that **accepts** the language:

$$L(M) = \{ww \mid w \in \{a, b\}^*\}$$


\dots	B	X	Y	Y	Z	Z	Z	B	\dots
---------	-----	-----	-----	-----	-----	-----	-----	-----	---------



Construct a **Turing machine** that **accepts** the language:

$$L(M) = \{ww \mid w \in \{a, b\}^*\}$$


\dots	B	X	Y	Y	Z	Z	Z	B	\dots
---------	-----	-----	-----	-----	-----	-----	-----	-----	---------



Construct a **Turing machine** that **accepts** the language:


$$L(M) = \{ww \mid w \in \{a, b\}^*\}$$

\dots	B	X	Y	Y	Z	Z	Z	B	\dots
---------	-----	-----	-----	-----	-----	-----	-----	-----	---------



Construct a **Turing machine** that **accepts** the language:

$$L(M) = \{ww \mid w \in \{a, b\}^*\}$$



Accept!