

# Lecture 12 – Concurrent Programming

## SWS121: Secure Programming

Jihyeok Park



2024 Spring

- **Metaprogramming**
- **Inline**
  - Inline Constants
  - Inline Methods
  - Inline Parameters
  - Inline Matches
  - Transparent Inline Methods
- **Macros**

## 1. Futures

- Callbacks

- Combinators

- Multiple Futures

## 2. Promise

## 3. Parallel Collection

## 1. Futures

Callbacks

Combinators

Multiple Futures

## 2. Promise

## 3. Parallel Collection

The following code immediately **runs** task and bounds to x:

```
// Sleep for 5 seconds and then return 42
def task: Int = { Thread.sleep(5_000); 42 }
val x = task // Blocks for 5 seconds and then x = 42
```

The following code immediately **runs** task and bounds to x:

```
// Sleep for 5 seconds and then return 42
def task: Int = { Thread.sleep(5_000); 42 }
val x = task // Blocks for 5 seconds and then x = 42
```

Can we **run** task in a **non-blocking** way?

The following code immediately **runs** task and bounds to x:

```
// Sleep for 5 seconds and then return 42
def task: Int = { Thread.sleep(5_000); 42 }
val x = task // Blocks for 5 seconds and then x = 42
```

Can we **run** task in a **non-blocking** way? Yes with **Futures!**

The following code immediately **runs** task and bounds to x:

```
// Sleep for 5 seconds and then return 42
def task: Int = { Thread.sleep(5_000); 42 }
val x = task // Blocks for 5 seconds and then x = 42
```

Can we **run** task in a **non-blocking** way? Yes with **Futures!**

**Futures** provide a way to reason about performing many operations in **parallel** – in a **non-blocking** way.



The following code immediately **runs** task and bounds to x:

```
// Sleep for 5 seconds and then return 42
def task: Int = { Thread.sleep(5_000); 42 }
val x = task // Blocks for 5 seconds and then x = 42
```

Can we **run** task in a **non-blocking** way? Yes with **Futures!**

**Futures** provide a way to reason about performing many operations in **parallel** – in a **non-blocking** way.

A Future represents a value which may or may not be currently available, but will be available at some point, or an exception if not.

The following code immediately **runs** task and bounds to x:

```
// Sleep for 5 seconds and then return 42
def task: Int = { Thread.sleep(5_000); 42 }
val x = task // Blocks for 5 seconds and then x = 42
```

Can we **run** task in a **non-blocking** way? Yes with **Futures!**

**Futures** provide a way to reason about performing many operations in **parallel** – in a **non-blocking** way.

A Future represents a value which may or may not be currently available, but will be available at some point, or an exception if not.

To utilize a Future, we need to import the following:

```
import scala.concurrent.Future
import scala.concurrent.ExecutionContext.Implicits.global
import scala.util.{Try, Failure, Success}
```

If we wrapping it into the Future, it has **not been completed** yet:

```
val eventualInt: Future[Int] = Future(task) // Future(<not completed>)
```

If we wrapping it into the Future, it has **not been completed** yet:

```
val eventualInt: Future[Int] = Future(task) // Future(<not completed>)
```

But if we check again **after 5 seconds**, it is **completed successfully**:

```
eventualInt // Future(<not completed>) before 5 seconds  
eventualInt // Future(Success(42)) after 5 seconds
```

If we wrapping it into the Future, it has **not been completed** yet:

```
val eventualInt: Future[Int] = Future(task) // Future(<not completed>)
```

But if we check again **after 5 seconds**, it is **completed successfully**:

```
eventualInt // Future(<not completed>) before 5 seconds  
eventualInt // Future(Success(42)) after 5 seconds
```

The value in a Future is always an instance of Try types:

- Success if the computation is successful
- Failure if the computation throws an exception

If we wrapping it into the Future, it has **not been completed** yet:

```
val eventualInt: Future[Int] = Future(task) // Future(<not completed>)
```

But if we check again **after 5 seconds**, it is **completed successfully**:

```
eventualInt // Future(<not completed>) before 5 seconds  
eventualInt // Future(Success(42)) after 5 seconds
```

The value in a Future is always an instance of Try types:

- Success if the computation is successful
- Failure if the computation throws an exception

Therefore, we need to handle the Try type to get the result.

# Callbacks – onComplete

We can use **callbacks** with futures to handle the result.

We can use **callbacks** with futures to handle the result.

There are three common callbacks:

- `onComplete`
- `foreach`
- `andThen`



We can use **callbacks** with futures to handle the result.

There are three common callbacks:

- onComplete
- foreach
- andThen

```
// Sleep for 3 seconds and then return a list of names
def namesTask: List[String] =
  Thread.sleep(3_000)
  List("Park", "Lee", "Ryu", "Hong")
```

We can use **callbacks** with futures to handle the result.

There are three common callbacks:

- onComplete
- foreach
- andThen

```
// Sleep for 3 seconds and then return a list of names
def namesTask: List[String] =
  Thread.sleep(3_000)
  List("Park", "Lee", "Ryu", "Hong")
```

The onComplete callback takes a **function** that handles the Try type:

```
// After 3 seconds, prints "Park", "Lee", "Ryu", "Hong"
Future(namesTask).onComplete {
  case Success(names) => for (name <- names) println(name)
  case Failure(e) => e.printStackTrace
}
```

If we want to **only** handle the **successful case**, we can use `foreach`:

```
Future(namesTask).foreach(names => for (name <- names) println(name))
```

If we want to **only** handle the **successful case**, we can use `foreach`:

```
Future(namesTask).foreach(names => for (name <- names) println(name))
```

It is equivalent to the following code using `for`-comprehension:

```
for {  
  names <- Future(namesTask)  
  name <- names  
} println(name)
```

If we want to **only** handle the **successful case**, we can use `foreach`:

```
Future(namesTask).foreach(names => for (name <- names) println(name))
```

It is equivalent to the following code using `for`-comprehension:

```
for {  
  names <- Future(namesTask)  
  name <- names  
} println(name)
```

because the `for`-comprehension without `yield` will be **desugared** into the sequence of `foreach` method calls:

```
Future(namesTask).foreach(names => names.foreach(name => println(name)))
```

The `andThen` callback is used purely for **side-effecting** purposes.

The `andThen` callback is used purely for **side-effecting** purposes.

While `onComplete` and `foreach` return a `Unit`, `andThen` returns the original `Future` without any transformation.

```
var firstChars: Set[Char] = Set.empty
Future {
  namesTask
}.andThen {
  case Success(names) =>
    println("Assigning first characters...")
    Thread.sleep(2_000)
    for (name <- names) firstChars += name.head
}.andThen {
  case _ =>
    println("Printing first characters...")
    Thread.sleep(2_000)
    for (c <- firstChars) println(c) // 'P', 'L', 'R', 'H'
}
```

We can use **combinators** to transform the value inside the Future.



We can use **combinators** to transform the value inside the Future.

There are three common combinators:

- `map` – maps the value inside the Future
- `flatMap` – maps and flattens the value inside the Future
- `filter` – filters the value inside the Future

We can use **combinators** to transform the value inside the Future.

There are three common combinators:

- `map` – maps the value inside the Future
- `flatMap` – maps and flattens the value inside the Future
- `filter` – filters the value inside the Future

```
// Sleep for 3 seconds and then return a list of names
def namesTask: List[String] =
  Thread.sleep(3_000)
  List("Park", "Lee", "Ryu", "Hong")
```

We can use **combinators** to transform the value inside the Future.

There are three common combinators:

- `map` – maps the value inside the Future
- `flatMap` – maps and flattens the value inside the Future
- `filter` – filters the value inside the Future

```
// Sleep for 3 seconds and then return a list of names
def namesTask: List[String] =
  Thread.sleep(3_000)
  List("Park", "Lee", "Ryu", "Hong")
```

The `map` combinator takes a **function** transforming the value in Future:

```
val lengths = Future(namesTask).map(names => names.map(_.length))

lengths // Future(Success(List(4, 3, 3, 4))) after 3 seconds
```

The flatMap combinator is used when the transformation returns a Future; it **flattens** the nested Future:

```
val nestedLengths: Future[Future[List[Int]]] =  
  Future(namesTask).map(names => Future(names.map(_.length)))  
  
val lengths: Future[List[Int]] =  
  Future(namesTask).flatMap(names => Future(names.map(_.length)))
```

The flatMap combinator is used when the transformation returns a Future; it **flattens** the nested Future:

```
val nestedLengths: Future[Future[List[Int]]] =  
    Future(namesTask).map(names => Future(names.map(_.length)))  
  
val lengths: Future[List[Int]] =  
    Future(namesTask).flatMap(names => Future(names.map(_.length)))
```

The filter combinator creates a new Future with the value satisfying the **predicate**:

```
val namesTrue = Future(namesTask).filter(_.length > 3)  
val namesFalse = Future(namesTask).filter(_.length > 7)
```

The flatMap combinator is used when the transformation returns a Future; it **flattens** the nested Future:

```
val nestedLengths: Future[Future[List[Int]]] =  
  Future(namesTask).map(names => Future(names.map(_.length)))  
  
val lengths: Future[List[Int]] =  
  Future(namesTask).flatMap(names => Future(names.map(_.length)))
```

The filter combinator creates a new Future with the value satisfying the **predicate**:

```
val namesTrue = Future(namesTask).filter(_.length > 3)  
val namesFalse = Future(namesTask).filter(_.length > 7)
```

After 3 seconds, two Future objects will be:

```
namesTrue    // Future(Success(List("Park", "Lee", "Ryu", "Hong")))  
namesFalse   // Future(Failure(... predicate is not satisfied))
```

We can also use **for-comprehension** to use `map`, `flatMap`, and `filter` (more precisely, `withFilter`) combinators for Future objects.

```
val lengths: Future[List[Int]] = for {  
  names <- Future(namesTask)  
  if names.length > 3  
  lengths <- Future(names.map(_.length))  
} yield lengths
```

It will be **desugared** into the following code:

```
val lengths: Future[List[Int]] = Future(namesTask)  
  .withFilter(names => names.length > 3)  
  .flatMap(names => {  
    Future(names.map(_.length))  
  })
```

# Multiple Futures

To run multiple computations in **parallel** and **combine** the results, we need to use **for-comprehension**.



To run multiple computations in **parallel** and **combine** the results, we need to use **for-comprehension**.

For example, we can combine three futures f1, f2, and f3:

```
val f1 = Future { Thread.sleep(1_000); 5 }
val f2 = Future { Thread.sleep(2_000); 6 }
val f3 = Future { Thread.sleep(3_000); 7 }

val result = for {
  r1 <- f1
  r2 <- f2
  r3 <- f3
} yield r1 + r2 + r3

// Prints "The result is 18." after 3 seconds
result.foreach { r => println(s"The result is $r.") }

println("The main thread waits for the result.")
Thread.sleep(10_000)
```

Note that if the computations were run within the for-comprehension, they would be executed **sequentially**.

Note that if the computations were run within the for-comprehension, they would be executed **sequentially**.

```
val result = for {  
  r1 <- Future { Thread.sleep(1_000); 5 }  
  r2 <- Future { Thread.sleep(2_000); 6 }  
  r3 <- Future { Thread.sleep(3_000); 7 }  
} yield r1 + r2 + r3  
  
// Prints "The result is 18." after 6 seconds  
result.foreach { r => println(s"The result is $r.") }
```

Note that if the computations were run within the for-comprehension, they would be executed **sequentially**.

```
val result = for {
  r1 <- Future { Thread.sleep(1_000); 5 }
  r2 <- Future { Thread.sleep(2_000); 6 }
  r3 <- Future { Thread.sleep(3_000); 7 }
} yield r1 + r2 + r3

// Prints "The result is 18." after 6 seconds
result.foreach { r => println(s"The result is $r.") }
```

So, we need to remember to run the computations **outside** the for-comprehension to run them in **parallel**.

To summarize, a few **key points** about futures are:

- Futures are intended for **one-shot** computations by creating a temporary pocket of concurrency.
- A future starts running as soon as it is **created**.
- We don't have to concern ourselves with the **low-level details** of thread management.
- We can combine **multiple** futures using **for-comprehension**.

## 1. Futures

Callbacks

Combinators

Multiple Futures

## 2. Promise

## 3. Parallel Collection

So far, we have only considered `Future` objects directly created by the constructor of the `Future` class.

So far, we have only considered `Future` objects directly created by the constructor of the `Future` class.

We can also create a `Future` object using a **promise**.



So far, we have only considered `Future` objects directly created by the constructor of the `Future` class.

We can also create a `Future` object using a **promise**.

**Futures** are defined as a type of read-only placeholder object created for a result which does not yet exist.

So far, we have only considered `Future` objects directly created by the constructor of the `Future` class.

We can also create a `Future` object using a **promise**.

**Futures** are defined as a type of read-only placeholder object created for a result which does not yet exist.

**Promises** are defined as a writable, single-assignment container, which completes a future with a value.

So far, we have only considered `Future` objects directly created by the constructor of the `Future` class.

We can also create a `Future` object using a **promise**.

**Futures** are defined as a type of read-only placeholder object created for a result which does not yet exist.

**Promises** are defined as a writable, single-assignment container, which completes a future with a value.

We need to import the following to use `Promise`:

```
import scala.concurrent.Promise
```

So far, we have only considered `Future` objects directly created by the constructor of the `Future` class.

We can also create a `Future` object using a **promise**.

**Futures** are defined as a type of read-only placeholder object created for a result which does not yet exist.

**Promises** are defined as a writable, single-assignment container, which completes a future with a value.

We need to import the following to use `Promise`:

```
import scala.concurrent.Promise
```

We can complete a future `p.future` of a promise `p` with:

- `success` – completes with a value to represent success
- `failure` – completes with an exception to represent failure

```
val p: Promise[Int] = Promise()
val f: Future[Int] = p.future

val producer = Future {
  println("Producing...")
  val x: Int = { Thread.sleep(2_000); 42 }
  println("Done producing.")
  p.success(x)
  println("Producer do something else...")
}

val consumer = Future {
  println("Consumer set up a callback...")
  f.foreach { r =>
    println(s"Consuming... $r")
    Thread.sleep(3_000)
    println("Done consuming.")
  }
  println("Consumer do something else...")
}
```

```
val producer = Future {
  println("Producing...")
  val x: Int = { Thread.sleep(2_000); 42 }
  println("Done producing.")
  p.success(x)
  println("Producer do something else...")
}
```

The producer future produces a value  $x = 42$  after 2 seconds.

```
val producer = Future {
  println("Producing...")
  val x: Int = { Thread.sleep(2_000); 42 }
  println("Done producing.")
  p.success(x)
  println("Producer do something else...")
}
```

The producer future produces a value  $x = 42$  after 2 seconds.

Then, it **completes** the future  $f$  of the promise  $p$  with the value of  $x$  (i.e., 42) using `p.success(x)`.

```
val producer = Future {
  println("Producing...")
  val x: Int = { Thread.sleep(2_000); 42 }
  println("Done producing.")
  p.success(x)
  println("Producer do something else...")
}
```

The producer future produces a value  $x = 42$  after 2 seconds.

Then, it **completes** the future  $f$  of the promise  $p$  with the value of  $x$  (i.e., 42) using `p.success(x)`.

Finally, without waiting for the completion of the future  $f$ , the producer future continues to do something else.



```
val consumer = Future {
  println("Consumer set up a callback...")
  f.foreach { r =>
    println(s"Consuming... $r")
    Thread.sleep(3_000)
    println("Done consuming.")
  }
  println("Consumer do something else...")
}
```

The `consumer` future sets up a callback to consume the value of the future `f` of the promise `p`.

```
val consumer = Future {
    println("Consumer set up a callback...")
    f.foreach { r =>
        println(s"Consuming... $r")
        Thread.sleep(3_000)
        println("Done consuming.")
    }
    println("Consumer do something else...")
}
```

The `consumer` future sets up a callback to consume the value of the future `f` of the promise `p`.

Without waiting for the completion of the future `f`, the `consumer` future continues to do something else.

```
val consumer = Future {
    println("Consumer set up a callback...")
    f.foreach { r =>
        println(s"Consuming... $r")
        Thread.sleep(3_000)
        println("Done consuming.")
    }
    println("Consumer do something else...")
}
```

The `consumer` future sets up a callback to consume the value of the future `f` of the promise `p`.

Without waiting for the completion of the future `f`, the `consumer` future continues to do something else.

After 2 seconds, the future `f` of the promise `p` is completed with the value 42, and the callback (`foreach`) is executed.

```
val consumer = Future {
    println("Consumer set up a callback...")
    f.foreach { r =>
        println(s"Consuming... $r")
        Thread.sleep(3_000)
        println("Done consuming.")
    }
    println("Consumer do something else...")
}
```

The `consumer` future sets up a callback to consume the value of the future `f` of the promise `p`.

Without waiting for the completion of the future `f`, the `consumer` future continues to do something else.

After 2 seconds, the future `f` of the promise `p` is completed with the value 42, and the callback (`foreach`) is executed.

After 3 seconds, the callback is done consuming the value 42.

The method `completeWith` can be used to complete a promise `p` with another future `f` (i.e., `p.completeWith(f)`).

The method `completeWith` can be used to complete a promise `p` with another future `f` (i.e., `p.completeWith(f)`).

```
val producer = Future {
  println("Producing...")
  val intFuture: Future[Int] = Future {
    Thread.sleep(2_000)
    println("Done producing.")
    42
  }
  p.completeWith(intFuture)
  println("Producer do something else...")
}
```

The method `completeWith` can be used to complete a promise `p` with another future `f` (i.e., `p.completeWith(f)`).

```
val producer = Future {
  println("Producing...")
  val intFuture: Future[Int] = Future {
    Thread.sleep(2_000)
    println("Done producing.")
    42
  }
  p.completeWith(intFuture)
  println("Producer do something else...")
}
```

The above code is almost equivalent to the previous code.

The method `completeWith` can be used to complete a promise `p` with another future `f` (i.e., `p.completeWith(f)`).

```
val producer = Future {
  println("Producing...")
  val intFuture: Future[Int] = Future {
    Thread.sleep(2_000)
    println("Done producing.")
    42
  }
  p.completeWith(intFuture)
  println("Producer do something else...")
}
```

The above code is almost equivalent to the previous code.

However, the only difference is that the `producer` future does something else **before** producing the value 42.



## 1. Futures

Callbacks

Combinators

Multiple Futures

## 2. Promise

## 3. Parallel Collection

We can use **parallel collections**<sup>1</sup> to perform operations in **parallel**.

---

<sup>1</sup><https://github.com/scala/scala-parallel-collections>

We can use **parallel collections**<sup>1</sup> to perform operations in **parallel**.

However, since it is an external library, we need to install it in `build.sbt`:

```
libraryDependencies +=  
  "org.scala-lang.modules" %% "scala-parallel-collections" % "<version>"
```

---

<sup>1</sup><https://github.com/scala/scala-parallel-collections>

We can use **parallel collections**<sup>1</sup> to perform operations in **parallel**.

However, since it is an external library, we need to install it in `build.sbt`:

```
libraryDependencies +=  
  "org.scala-lang.modules" %% "scala-parallel-collections" % "<version>"
```

And, we need to import the following to use parallel collections:

```
import scala.collection.parallel.CollectionConverters.*
```

---

<sup>1</sup><https://github.com/scala/scala-parallel-collections>

We can use **parallel collections**<sup>1</sup> to perform operations in **parallel**.

However, since it is an external library, we need to install it in `build.sbt`:

```
libraryDependencies +=  
  "org.scala-lang.modules" %% "scala-parallel-collections" % "<version>"
```

And, we need to import the following to use parallel collections:

```
import scala.collection.parallel.CollectionConverters.*
```

Then, we can freely **convert** a collection to the corresponding parallel collection using the `par` method:

```
List(1, 2, 3, 4, 5).par // A parallel collection of List(1, 2, 3, 4, 5)
```

---

<sup>1</sup><https://github.com/scala/scala-parallel-collections>

For example, consider the following code:

```
def slowInc(x: Int): Int = { Thread.sleep(1_000); x + 1 }  
val list = List(1, 2, 3, 4, 5)  
list.map(slowInc) // List(2, 3, 4, 5, 6) after 5 seconds
```

For example, consider the following code:

```
def slowInc(x: Int): Int = { Thread.sleep(1_000); x + 1 }  
val list = List(1, 2, 3, 4, 5)  
list.map(slowInc) // List(2, 3, 4, 5, 6) after 5 seconds
```

It will take **5 seconds** to complete.

For example, consider the following code:

```
def slowInc(x: Int): Int = { Thread.sleep(1_000); x + 1 }  
val list = List(1, 2, 3, 4, 5)  
list.map(slowInc) // List(2, 3, 4, 5, 6) after 5 seconds
```

It will take **5 seconds** to complete.

However, we can convert the list to a parallel collection and perform the `slowInc` operation in parallel:



For example, consider the following code:

```
def slowInc(x: Int): Int = { Thread.sleep(1_000); x + 1 }  
val list = List(1, 2, 3, 4, 5)  
list.map(slowInc) // List(2, 3, 4, 5, 6) after 5 seconds
```

It will take **5 seconds** to complete.

However, we can convert the list to a parallel collection and perform the `slowInc` operation in parallel:

```
list.par.map(slowInc).toList // List(2, 3, 4, 5, 6) after 1 second
```

It will take **1 second** to complete.

Similarly, we can use other methods such as `reduce` or `filter`:

Similarly, we can use other methods such as `reduce` or `filter`:

For example, we can compute the sum of the first 1,000,000 numbers in parallel using `reduce` method:

```
(1L to 1_000_000L).toArray.par.reduce(_ + _) // 500000500000
```

Similarly, we can use other methods such as `reduce` or `filter`:

For example, we can compute the sum of the first 1,000,000 numbers in parallel using `reduce` method:

```
(1L to 1_000_000L).toArray.par.reduce(_ + _) // 500000500000
```

Or, we can filter numbers divisible by 3 in parallel using `filter` method:

```
(1L to 1_000_000L).toArray.par.filter(_ % 3L == 0L).length // 333333
```

However, we need to be careful the **out-of-order** behavior when using parallel collections.

However, we need to be careful the **out-of-order** behavior when using parallel collections.

The **out-of-order** semantics of parallel collections can lead to the following implications:

- **Side-effecting** operations can lead to **non-determinism**.
- **Non-associative** operations can lead to **non-determinism**.

However, we need to be careful the **out-of-order** behavior when using parallel collections.

The **out-of-order** semantics of parallel collections can lead to the following implications:

- **Side-effecting** operations can lead to **non-determinism**.
- **Non-associative** operations can lead to **non-determinism**.

For example, the following code is **non-deterministic** because of the **side-effect** operation `sum += i`:

```
var sum = 0
(1 to 1_000).toArray.par.foreach { i => sum += i }
sum
```

However, we need to be careful the **out-of-order** behavior when using parallel collections.

The **out-of-order** semantics of parallel collections can lead to the following implications:

- **Side-effecting** operations can lead to **non-determinism**.
- **Non-associative** operations can lead to **non-determinism**.

For example, the following code is **non-deterministic** because of the **side-effect** operation `sum += i`:

```
var sum = 0
(1 to 1_000).toArray.par.foreach { i => sum += i }
sum
```

The following code is also **non-deterministic** because of the **non-associative** operation `-`:

```
(1 to 1_000).toArray.par.reduce(_ - _)
```



## 1. Futures

- Callbacks

- Combinators

- Multiple Futures

## 2. Promise

## 3. Parallel Collection

- Course Review

Jihyeok Park  
jihyeok\_park@korea.ac.kr  
<https://plrg.korea.ac.kr>